

One-Meter & Three-Meter Main Supports



Product #	Name	Includes	Additional Information
3M450	Three-Meter Main Support Assembly	<ul style="list-style-type: none"> (1) Three-Meter Main Support (<i>pre-assembled</i>) (3) SF108 Fulcrum Box Bolts, Double Washers & Nuts (2) 1/32" Round Shims (2) 1/16" Round Shims (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant <p><u>Deck Mount Hardware:</u></p> <ul style="list-style-type: none"> (4) SF125 2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker 	<p>Requires Production Questionnaire</p> <p>The Three-Meter Main Support is manufactured in 3 different heights to accommodate deck level to water level dimensions of 0" to 13".</p>
1M450	One-Meter Main Support Assembly	<ul style="list-style-type: none"> (1) One-Meter Main Support (<i>pre-assembled</i>) (3) SF108 Fulcrum Box Bolts, Double Washers & Nuts (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant <p><u>Deck Mount Hardware:</u></p> <ul style="list-style-type: none"> (4) SF125 2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker 	<p>Requires Production Questionnaire</p> <p>The One-Meter Main Support is manufactured in 5 different heights to accommodate deck level to water level dimensions of 0" to 13".</p>

Fulcrum Boxes

Product #	Name	Includes	Additional Information
FB550	Fulcrum Box (<i>for stands with Duraflex Handrails</i>), Fulcrum Assembly & Deck Mount Hardware	<ul style="list-style-type: none"> (1) Fulcrum Box (<i>with pre-drilled holes for mounting rail supports</i>) (2) C208 Tracks (<i>pre-installed</i>) (1) R510L Footwheel with Long Roller (1) 522 Tie Plate (2) 517 Roller Block Assemblies (1) PM110 Grease Gun (1) PM111 Grease (22) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (2) SF106 Hinge Bolts & Nuts (<i>to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting</i>) (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant <p><u>Deck Mount Hardware:</u></p> <ul style="list-style-type: none"> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker <p>FB550 is Available in Limited Quantity. Subject to be discontinued.</p>	<p>Previously R550</p> <p>Used for SSWR Short Stands (<i>with Duraflex Handrails</i>).</p>
FB551	Fulcrum Box (<i>for stands with Duraflex Handrails</i>), Fulcrum Assembly & Main Support Mount Hardware	<ul style="list-style-type: none"> (1) Fulcrum Box (<i>with pre-drilled holes for mounting rail supports</i>) (2) C208 Tracks (<i>pre-installed</i>) (1) R510L Footwheel with Long Roller (1) 522 Tie Plate (2) 517 Roller Block Assemblies (1) PM110 Grease Gun (1) PM111 Grease (22) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (2) SF106 Hinge Bolts & Nuts (<i>to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting</i>) (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant <p><u>Main Support Mount Hardware:</u></p> <ul style="list-style-type: none"> (3) SF108 Fulcrum Box Bolts, Double Washers & Nuts 	<p>Used for 1M One-Meter or 3M Three-Meter Stands.</p>

<p>FB554</p>	<p>Fulcrum Box, Fulcrum Assembly & Deck Mount Hardware</p>	<p>(1) Fulcrum Box (2) C208 Tracks (<i>pre-installed</i>) (1) R510S Footwheel with Short Roller (1) 522 Tie Plate (2) 517 Roller Block Assemblies (1) PM110 Grease Gun (1) PM111 Grease</p> <p><u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker</p> <p>FB554 is Available in Limited Quantity. Subject to be discontinued.</p>	<p>Previously R554 Used for SSNR Short Stands.</p>	
<p>FB400</p>	<p>Fulcrum Box (for stands with Duraflex Handrails) & Deck Mount Hardware</p>	<p>(1) Fulcrum Box (<i>with pre-drilled holes for mounting rail supports</i>) (2) C208 Tracks (<i>pre-installed</i>) (2) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (2) SF106 Hinge Bolts & Nuts (<i>to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting</i>) (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p> <p><u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker</p>	<p>Previously SB400 Used for SSWR Short Stands (<i>with Duraflex Handrails</i>).</p>	
<p>FB401</p>	<p>Fulcrum Box (for stands with Duraflex Handrails) & Main Support Mount Hardware</p>	<p>(1) Fulcrum Box (<i>with pre-drilled holes for mounting rail supports</i>) (2) C208 Tracks (<i>pre-installed</i>) (2) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (2) SF106 Hinge Bolts & Nuts (<i>to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting</i>) (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p> <p><u>Main Support Mount Hardware:</u> (3) SF108 Fulcrum Box Bolts, Double Washers & Nuts</p>	<p>Used for 1M One-Meter or 3M Three-Meter Stands.</p>	
<p>FB404</p>	<p>Fulcrum Box & Deck Mount Hardware</p>	<p>(1) Fulcrum Box (2) C208 Tracks (<i>pre-installed</i>)</p> <p><u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker</p> <p>FB404 is Available in Limited Quantity. Subject to be discontinued.</p>	<p>Previously SB404 Used for SSNR Short Stands.</p>	
<p>HK211</p>	<p>Fulcrum Box Hardware Kit</p>	<p>(3) SF108 Fulcrum Box Bolts, Double Washers & Nuts (1) PM211 Bolt Lubricant</p>	<p>Used to attach the Fulcrum Box to the Main Support on One-Meter and Three-Meter Stands.</p>	
<p>SF108</p>	<p>Fulcrum Box Bolt</p>	<p>(1) 5/8" x 3" aluminum hex head bolt (2) 5/8" aluminum flat washers (1) 5/8" finished aluminum nut</p>	<p>Used to attach the Fulcrum Box to the Main Support on One-Meter and Three-Meter Stands.</p> <p>(3) required per Fulcrum Box.</p> <p>We recommend ordering a PM211 Lubricant for Bolts for installation.</p>	

Fulcrum Parts

Product #	Name	Includes	Additional Information
FP500L	Fulcrum Parts Kit with Long Roller	(1) R510L Footwheel with Long Roller (1) 522 Tie Plate (2) 517 Roller Block Assemblies (1) PM110 Grease Gun (1) PM111 Grease	Used on stands <i>with</i> Duraflex handrails.
FP500S	Fulcrum Parts Kit with Short Roller	(1) R510S Footwheel with Short Roller (1) 522 Tie Plate (2) 517 Roller Block Assemblies (1) PM110 Grease Gun (1) PM111 Grease	Used on stands <i>without</i> Duraflex handrails.
R510L	Footwheel with Long Roller	(1) Footwheel attached to (1) Long Roller (1) 532 Expansion Pin (<i>pre-installed</i>)	Used on stands <i>with</i> Duraflex handrails. Footwheel and roller are not sold separately.
R510S	Footwheel with Short Roller	(1) Footwheel attached to (1) Short Roller (1) 532 Expansion Pin (<i>pre-installed</i>)	Used on stands <i>without</i> Duraflex handrails. Footwheel and roller are not sold separately.
HK204	Fulcrum Hardware Kit	(1) 522 Tie Plate (2) 517 Roller Block Assemblies (1) PM110 Grease Gun (1) PM111 Grease	Kit includes everything needed to repair a Fulcrum Assembly (<i>excluding the Footwheel & Roller</i>). The 530 Zerk Fitting of the Roller Block Assembly should be lubricated every two-weeks with PM111 Grease, applied with a PM110 Grease Gun.
517	Roller Block Assembly	(1) Roller Block (1) 518 Slide Bearing (1) 515 Rubber Bumper (1) 516 Anti-Rattle Clamp (1) 521 Roller Clamp (1) 524 Roller Bearing (2) 526 Tie Plate Bolts, Washers & Nuts (2) 533 Roller Clamp Studs & Lock Nuts (1) 528 Anti-Rattle Bolt & Lock Nut (1) 530 Zerk Fitting	The 530 Zerk Fitting of the Roller Block Assembly should be lubricated every two-weeks with PM111 Grease, applied with a PM110 Grease Gun. (2) required per Fulcrum Assembly. Roller Block not sold separately.
HK205	Roller Block Repair Kit	(1) 518 Slide Bearing (1) 515 Rubber Bumper (1) 516 Anti-Rattle Clamp (1) 521 Roller Clamp (1) 524 Roller Bearing (2) 526 Tie Plate Bolts, Washers & Nuts (2) 533 Roller Clamp Studs & Lock Nuts (1) 528 Anti-Rattle Bolt & Lock Nut	Kit includes everything needed to repair a Roller Block (<i>excluding the Zerk Fitting</i>). The 530 Zerk Fitting of the Roller Block Assembly should be lubricated every two-weeks with PM111 Grease, applied with a PM110 Grease Gun.
522	Tie Plate	(1) aluminum Tie Plate (4) 526 Tie Plate Bolts, Washers & Nuts	(1) required per Fulcrum Assembly.
HK206	Track Kit	(2) aluminum Tracks (11) 529 Track Bolts (1) PM211 Bolt Lubricant	Kit includes everything needed to attach (2) Tracks to a Fulcrum Box. (10) 529 Track Bolts are required for installation. (1) additional is included.
C208	Track	(1) aluminum Track (6) 529 Track Bolts (1) PM211 Bolt Lubricant	Previously C208A (5) 529 Track Bolts are required for installation. (1) additional is included. (2) Tracks required per Fulcrum Box.
515	Rubber Bumper	(1) Rubber Bumper	(1) required per Roller Block.
516	Anti-Rattle Clamp	(1) aluminum Anti-Rattle Clamp	(1) required per Roller Block.
518	Slide Bearing	(1) plastic Slide Bearing	(1) required per Roller Block.
521	Roller Clamp	(1) aluminum Roller Clamp	(1) required per Roller Block.
524	Roller Bearing	(1) plastic Roller Bearing	(1) required per Roller Block.
PM110	Grease Gun	(1) Grease Gun	Used with PM111 Grease to lubricate the 530 Zerk Fitting of the 517 Roller Block Assembly. Roller Blocks should be lubricated every two-weeks.
PM111	Grease	(1) QuickSilver-6 Grease (3 oz. tube)	Used with PM110 Grease Gun to lubricate the 530 Zerk Fitting of the 517 Roller Block Assembly. Roller Blocks should be lubricated every two-weeks.

530	Zerk Fitting	(1) Zerk Fitting	Used with the PM110 Grease Gun to apply PM111 Grease to the 517 Roller Block Assembly. Roller Blocks should be lubricated every two-weeks.
532	Expansion Pin	(1) 1/4" x 5/8" Expansion Pin	Used to attach the footwheel to the roller (short or long).
HK207	Tie Plate Hardware Kit	(4) 526 Tie Plate Bolts, Washers & Nuts	Kit includes everything needed to attach (2) Roller Blocks to a Tie Plate and attach the Tie Plate to the Fulcrum Box.
526	Tie Plate Bolt	(1) 5/16" x 1" stainless steel hex head bolt (1) 5/16" stainless steel washer (1) 5/16" stainless steel nut	(4) required per Tie Plate. (2) required per Roller Block. Items are not sold separately.
528	Anti-Rattle Bolt	(1) 3/8" x 2" aluminum hex head bolt (1) SF111 Anti-Rattle Lock Nut	(1) required per Roller Block.
HK208	Track Hardware Kit	(6) 529 Track Bolts (1) PM211 Bolt Lubricant	Kit includes everything needed to attach a Track to the Fulcrum Box on all stand models. Only (5) 529 Track Bolts are required for installation. (1) additional is included.
529	Track Bolt	(1) 5/16" x 1" aluminum hex head bolt	Used to attach the Track to the Fulcrum Box on all stand models. (5) required per Track. We recommend ordering a PM211 Lubricant for Bolts for installation.
533	Roller Clamp Stud	(1) 5/16" x 15/16" aluminum shoulder stud (1) SF152 Roller Clamp Lock Nut	(2) required per Roller Block.
SF111	Anti-Rattle Lock Nut	(1) 3/8" aluminum lock nut	(1) required per Roller Block.
SF152	Roller Clamp Lock Nut	(1) 5/16" aluminum lock nut	(2) required per Roller Block.

One-Meter & Three-Meter Ladders

Product #	Name	Includes	Additional Information
3M355	Three-Meter Ladder, Anchor Fitting & Hinge Assembly	(1) Three-Meter Ladder (<i>pre-assembled</i>) (1) C201-1 Anchor Fitting (<i>pre-installed</i>) (1) 10025 Two Complete Hinges (<i>pre-installed</i>) (1) PM211 Bolt Lubricant (1) SF122 Board Bolt Kit <u>Deck Mount Hardware:</u> (4) SF127 2 1/2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker	Requires Production Questionnaire The Three-Meter Ladder is manufactured in 13 different heights to accommodate deck level to water level dimensions of 0" to 13".
3M350	Three-Meter Ladder Assembly	(1) Three-Meter Ladder (<i>pre-assembled</i>) (1) PM211 Bolt Lubricant <u>Deck Mount Hardware:</u> (4) SF127 2 1/2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker	Requires Production Questionnaire The Three-Meter Ladder is manufactured in 13 different heights to accommodate deck level to water level dimensions of 0" to 13".

1M355	One-Meter Ladder, Anchor Fitting & Hinge Assembly	<p>(1) One-Meter Ladder (<i>pre-assembled</i>) (1) C201-1 Anchor Fitting (<i>pre-installed</i>) (1) 10025 Two Complete Hinges (<i>pre-installed</i>) (1) PM211 Bolt Lubricant (1) SF122 Board Bolt Kit</p> <p><u>Deck Mount Hardware:</u> (4) SF127 2 1/2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker</p>	<p>Requires Production Questionnaire</p> <p>The One-Meter Main Support and Ladder are manufactured in 5 different heights to accommodate deck level to water level dimensions of 0" to 13".</p>	
1M350	One-Meter Ladder Assembly	<p>(1) One-Meter Ladder (<i>pre-assembled</i>) (1) PM211 Bolt Lubricant</p> <p><u>Deck Mount Hardware:</u> (4) SF127 2 1/2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker</p>	<p>Requires Production Questionnaire</p> <p>The One-Meter Main Support and Ladder are manufactured in 5 different heights to accommodate deck level to water level dimensions of 0" to 13".</p>	

One-Meter & Three-Meter Ladder Parts

Product #	Name	Includes	Additional Information	
C212	One-Meter Step	<p>(1) One-Meter Step casting (1) C213 Step Insert (5) SF104 One-Meter Step Bolts & Nuts (1) MP105 Buff Touch-Up Kit</p>	<p>(4) SF104 One-Meter Step Bolts & Nuts are required for installation. (1) additional is included.</p>	
HK209	One-Meter Step Hardware Kit	<p>(5) SF104 One-Meter Step Bolts & Nuts (1) MP105 Buff Touch-Up Kit</p>	<p>Kit includes everything needed to attach the One-Meter Step to the ladder.</p>	
C213	Step Insert	<p>(1) Step Insert (7) SF210 Step Insert Bolts & Nuts (1) MP105 Buff Touch Up Kit</p>	<p>Compatible with One-Meter and Three-Meter Steps.</p> <p>(6) SF210 Step Insert Bolts & Nuts are required for installation. (1) additional of each is included.</p>	
HK210	Step Insert Hardware Kit	<p>(7) SF210 Step Insert Bolts & Nuts (1) MP105 Buff Touch Up Kit</p>	<p>Kit includes everything needed to attach the Step Insert to a One-Meter or Three-Meter Step.</p> <p>(6) SF210 Step Insert Bolts & Nuts are required for installation. (1) additional of each is included.</p> <p>Used to attach the One-Meter Step to the ladder.</p>	
SF104	One-Meter Step Bolt	<p>(1) 3/8" x 1 1/4" aluminum slotted flat head bolt (1) 3/8" aluminum hex nut</p>	<p>The head of this bolt is painted. We recommend ordering a MP105 Buff Touch Up Kit to coat the threads and nut after installation.</p> <p>Used to attach the step insert to the step on One-Meter and Three-Meter Stands. (6) are required per insert.</p>	
SF210	Step Insert Bolt	<p>(1) 10/32" x 11/16" aluminum flat head bolt (1) 10/32" aluminum hex nut</p>	<p>Items are not sold separately.</p> <p>The head of this bolt is painted. We recommend ordering a MP105 Buff Touch Up Kit to coat the threads and nut after installation.</p>	

Anchor Fittings & Hinge Parts

Product #	Name	Includes	Additional Information
C250	One-Meter / Three-Meter Anchor Fitting & Hinges	(1) One-Meter / Three Meter Anchor Fitting (1) 10025 Two Complete Hinges (<i>pre-installed</i>) (1) SF122 Board Bolt Kit (6) SF162 Anchor Fitting Bolts, Washers & Nuts (1) PM211 Bolt Lubricant	Anchor fitting attaches to One-Meter and Three-Meter Ladders.
C201-1	One-Meter / Three-Meter Anchor Fitting	(1) One-Meter / Three-Meter Anchor Fitting (6) SF162 Anchor Fitting Bolts, Washers & Nuts (1) PM211 Bolt Lubricant	Anchor fitting attaches to One-Meter and Three-Meter Ladders.
SS550	Short Stand Anchor Fitting (<i>for stands with Duraflex Handrails</i>) & Hinges	(1) Short Stand Anchor Fitting (1) C400L Left Aluminum Rail Bracket (<i>pre-installed</i>) (1) C400R Right Aluminum Rail Bracket (<i>pre-installed</i>) (1) 10025 Two Complete Hinges (<i>pre-installed</i>) (1) SF122 Board Bolt Kit <u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker SS550 is Available in Limited Quantity. Subject to be discontinued.	Rear anchor fitting on a SSDGR Short Stand <i>with Duraflex Handrails</i> . Includes pre-drilled holes for mounting Double Rail Supports and Aluminum Rail Brackets.
SS500	Short Stand Anchor Fitting (<i>for stands with Duraflex Handrails</i>)	(1) Short Stand Anchor Fitting (1) C400L Left Aluminum Rail Bracket (<i>pre-installed</i>) (1) C400R Right Aluminum Rail Bracket (<i>pre-installed</i>) <u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker SS500 is Available in Limited Quantity. Subject to be discontinued.	Rear anchor fitting on a SSDGR Short Stand <i>with Duraflex Handrails</i> . Includes pre-drilled holes for mounting Double Rail Supports and Aluminum Rail Brackets.
SS554	Short Stand Anchor Fitting & Hinges	(1) Short Stand Anchor Fitting (1) 10025 Two Complete Hinges (<i>pre-installed</i>) (1) SF122 Board Bolt Kit <u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker SS554 is Available in Limited Quantity. Subject to be discontinued.	Rear anchor fitting on a SSNR Short Stand.
SS504	Short Stand Anchor Fitting	(1) Short Stand Anchor Fitting <u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker SS504 is Available in Limited Quantity. Subject to be discontinued.	Rear anchor fitting on a SSNR Short Stand.

10025	Hinge Assembly	<p>(2) Complete Hinges (<i>pre-assembled: Includes Male, Female Hinge, Hinge Pin, Nyliners, & O-Rings</i>) (2) 60053- 5/8" smaller diameter flat washer (10) SF106 Hinge Bolts & Nuts (1) MP105 Buff Touch-Up Kit</p> <p>*Apply (2) drops of lightweight oil (as for door hinges) every two-weeks.</p>	<p>Previously C202x2 Used with the SF122 Board Bolt Kit to attach a diving board to a diving stand.</p> <p>Compatible with all diving stand models.</p> <p>(2) 60053- 5/8" smaller diameter flat washer- used with New Short Stands</p> <p>(4) SF106 Hinge Bolts & Nuts required per hinge. (1) additional is included.</p>
HK201	Hinge Repair Kit	<p>(1) C203 Hinge Pin (4) C209 Nyliners (2) C210 O-Rings</p>	<p>Kit includes everything needed to repair a Hinge (<i>excluding the hinge itself</i>).</p> <p>Apply (2) drops of lightweight oil (<i>as for door hinges</i>) every two-weeks.</p>
C203	Hinge Pin	(1) aluminum Hinge Pin	(1) required per Hinge.
C209	Nyliner	(1) Nyliner	(4) required per Hinge.
C210	O-Ring	(1) O-Ring	(2) required per Hinge.
HK202	Hinge Hardware Kit	<p>(5) SF106 Hinge Bolts & Nuts (1) MP105 Buff Touch-Up Kit</p>	<p>Kit includes everything needed to attach a Hinge to an Anchor Fitting.</p> <p>(4) SF106 Hinge Bolts & Nuts required per hinge. (1) additional is included.</p> <p>Used to attach the hinge to the Anchor Fitting.</p>
SF106	Hinge Bolt	<p>(1) 3/8" x 1 1/2" aluminum hex head bolt (1) 3/8" aluminum hex nut</p>	<p>The head of this bolt is painted. We recommend ordering a MP105 Buff Touch-Up Kit to coat the threads and nut after installation.</p>
HK203	One-Meter / Three-Meter Anchor Fitting Hardware Kit	<p>(6) SF162 Anchor Fitting Bolts, Washers & Nuts (1) PM211 Bolt Lubricant</p>	<p>Kit includes everything needed to attach a One-Meter / Three-Meter Anchor Fitting to a One-Meter or Three-Meter Ladder.</p>
SF162	One-Meter / Three-Meter Anchor Fitting Bolt	<p>(1) 3/8" x 1 1/4" stainless steel slotted round head bolt (1) stainless steel flat washer (1) stainless steel flange nut</p>	<p>Used to attach the One-Meter / Three-Meter Anchor Fitting to a Ladder.</p> <p>(6) required per One-Meter / Three-Meter Anchor Fitting.</p> <p>We recommend ordering a PM211 Bolt Lubricant for installation.</p>

Handrail Parts

Product #	Name	Includes	Additional Information
C100-4R-1M/3M	One-Meter & Three-Meter Rail Package	(2) C101 Left Front or Right Rear Double Rail Supports (2) C102 Right Front or Left Rear Double Rail Supports (2) C104 Curved Rails (2) C106 Straight Rails (6) 107 Handrail Plugs (22) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (2) SF106 Hinge Bolts & Nuts <i>(to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i> (26) 207 Rail Clamps (10) SF117 1/2" Rail Clamp Bolts (18) SF118 5/8" Rail Clamp Bolts (12) SF119 3/4" Rail Clamp Bolts (2) SF120 7/8" Rail Clamp Bolts (2) C206 Bronze Rail Brackets (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant	<p>Previously C100-4R Requires Handrail Questionnaire Rail supports are custom fit to a Fulcrum Box in the factory; therefore, it may be difficult to line up the rail sockets on an existing Fulcrum Box in the field without factory equipment. Please note, excessive bending of a rail support may cause it to break.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support. (2) additional are included.</p> <p>(24) 207 Rail Clamps are required per stand. (2) additional are included.</p>
C100-4R-SS	Short Stand Rail Package	(2) C101 Left Front or Right Rear Double Rail Supports (2) C102 Right Front or Left Rear Double Rail Supports (2) C104 Curved Rails (2) C106 Straight Rails (1) C400L Left Aluminum Rail Bracket (1) C400R Right Aluminum Rail Bracket (6) 107 Handrail Plugs (22) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (2) SF106 Hinge Bolts & Nuts <i>(to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i> (26) 207 Rail Clamps (10) SF117 1/2" Rail Clamp Bolts (18) SF118 5/8" Rail Clamp Bolts (12) SF119 3/4" Rail Clamp Bolts (2) SF120 7/8" Rail Clamp Bolts (2) C206 Bronze Rail Brackets (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant	<p>Requires Handrail Questionnaire Rail supports are custom fit to a Fulcrum Box in the factory; therefore, it may be difficult to line up the rail sockets on an existing Fulcrum Box in the field without factory equipment. Please note, excessive bending of a rail support may cause it to break.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support. (2) additional are included.</p> <p>(24) 207 Rail Clamps are required per stand. (2) additional are included.</p>
C101	Left Front or Right Rear Double Rail Support	(1) Left Front or Right Rear Double Rail Support (6) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (1) SF106 Hinge Bolts & Nut <i>(to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i>	<p>Previously C101A Requires Handrail Questionnaire Rail supports are custom fit to a Fulcrum Box in the factory; therefore, it may be difficult to line up the rail sockets on an existing Fulcrum Box in the field without factory equipment. Please note, excessive bending of a rail support may cause it to break.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support. (1) additional is included.</p>
C102	Right Front or Left Rear Double Rail Support	(1) Right Front or Left Rear Double Rail Support (6) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (1) SF106 Hinge Bolts & Nut <i>(to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i>	<p>Previously C102A Requires Handrail Questionnaire Rail supports are custom fit to a Fulcrum Box in the factory; therefore, it may be difficult to line up the rail sockets on an existing Fulcrum Box in the field without factory equipment. Please note, excessive bending of a rail support may cause it to break.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support. (1) additional is included.</p>

C104	Curved Rail	<ul style="list-style-type: none"> (1) Curved Rail (1) 107 Handrail Plug (8) 207 Rail Clamps (1) SF117 1/2" Rail Clamp Bolt (7) SF118 5/8" Rail Clamp Bolts (4) SF119 3/4" Rail Clamp Bolts (1) SF120 7/8" Rail Clamp Bolt 	<p>Requires Handrail Questionnaire (6) 207 Rail Clamps are required per Curved Rail. (2) additional are included.</p>	
C106	Straight Rail	<ul style="list-style-type: none"> (1) Straight Rail (2) 107 Handrail Plugs (6) 207 Rail Clamps (1) SF117 1/2" Rail Clamp Bolt (5) SF118 5/8" Rail Clamp Bolts (2) SF119 3/4" Rail Clamp Bolts (1) SF120 7/8" Rail Clamp Bolt 	<p>Requires Handrail Questionnaire (4) 207 Rail Clamps are required per Straight Rail. (2) additional are included.</p>	
C206	Bronze Rail Bracket	<ul style="list-style-type: none"> (1) Bronze Rail Bracket (2) 207 Rail Clamps (2) SF118 5/8" Rail Clamp Bolts 	<p>Requires Handrail Questionnaire Used to attach the straight rail to the curved rail.</p>	
C400L	Left Aluminum Rail Bracket	<ul style="list-style-type: none"> (1) Left Aluminum Rail Bracket (1) SF105 Multi-Purpose Stand Assembly Bolt & Nut (1) SF105-S Aluminum Rail Bracket Bolt & Nut (1) MP105 Buff Touch-Up Kit 	<p>Previously SB404L Used on Short Stand Anchor Fittings (for stands with Duraflex Handrails) to attach rail tubing. These anchor fittings have pre-drilled holes for mounting Double Rail Supports and Aluminum Rail Brackets.</p> <p><u>Rail attachment hardware must be purchased separately.</u></p> <p>(2) 207 Rail Clamps & (2) SF118 5/8" Rail Clamp Bolts required per Rail Bracket.</p>	
C400R	Right Aluminum Rail Bracket	<ul style="list-style-type: none"> (1) Right Aluminum Rail Bracket (1) SF105 Multi-Purpose Stand Assembly Bolt & Nut (1) SF105-S Aluminum Rail Bracket Bolt & Nut (1) MP105 Buff Touch-Up Kit 	<p>Previously SB404R Used on Short Stand Anchor Fittings (for stands with Duraflex Handrails) to attach rail tubing. These anchor fittings have pre-drilled holes for mounting Double Rail Supports and Aluminum Rail Brackets.</p> <p><u>Rail attachment hardware must be purchased separately.</u></p> <p>(2) 207 Rail Clamps & (2) SF118 5/8" Rail Clamp Bolts required per Rail Bracket.</p>	
107	Handrail Plug	<ul style="list-style-type: none"> (1) black plastic rail plug 	<p>Previously C107 Used to plug the end of a handrail.</p>	
HK101	Handrail Hardware Kit	<ul style="list-style-type: none"> (26) 207 Rail Clamps (10) SF117 1/2" Rail Clamp Bolts (18) SF118 5/8" Rail Clamp Bolts (12) SF119 3/4" Rail Clamp Bolts (2) SF120 7/8" Rail Clamp Bolts 	<p>Kit includes everything needed to attach (2) C104 Curved Handrails and (2) C106 Straight Handrails.</p> <p>(24) 207 Rail Clamps are required per stand. (2) additional are included.</p>	
HK102	Handrail Hardware Half Kit	<ul style="list-style-type: none"> (13) 207 Rail Clamps (5) SF117 1/2" Rail Clamp Bolts (9) SF118 5/8" Rail Clamp Bolts (6) SF119 3/4" Rail Clamp Bolts (1) SF120 7/8" Rail Clamp Bolts 	<p>Kit includes everything needed to attach (1) C104 Curved Handrail and (1) C106 Straight Handrail.</p> <p>(12) 207 Rail Clamps are required per one side of a stand. (1) additional is included.</p>	

<p>HK103</p>	<p>Double Rail Support Hardware Kit</p>	<p>(22) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (2) SF106 Hinge Bolts & Nut <i>(to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i> (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p>	<p>Kit includes everything needed to attach (2) C101 Left Front or Right Rear Double Rail Supports and (2) C102 Right Front or Left Rear Double Rail Supports.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support. (2) additional are included.</p>	
<p>HK104</p>	<p>Double Rail Support Half Hardware Kit</p>	<p>(11) SF105 Multi-Purpose Stand Assembly Bolts & Nuts (1) SF106 Hinge Bolts & Nut <i>(to be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i> (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p>	<p>Kit includes everything needed to attach (1) C101 Left Front or Right Rear Double Rail Support and (1) C102 Right Front or Left Rear Double Rail Support.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support. (1) additional is included.</p>	
<p>207</p>	<p>Rail Clamp</p>	<p>(1) stainless steel rail clamp</p>	<p>Previously C207 Used with the Rail Clamp Bolts <i>(listed below)</i> to attach rail tubing to a stand.</p>	
<p>SF117</p>	<p>1/2" Rail Clamp Bolt</p>	<p>(1) 5/16" x 1/2" stainless steel hex head bolt</p>	<p>Used with the 207 Rail Clamps to attach rail tubing to a stand.</p> <p>Castings vary in thickness and may require a different bolt length.</p> <p>Tighten rail clamp bolts periodically.</p>	
<p>SF118</p>	<p>5/8" Rail Clamp Bolt</p>	<p>(1) 5/16" x 5/8" stainless steel hex head bolt</p>	<p>Used with the 207 Rail Clamps to attach rail tubing to a stand.</p> <p>This length is most commonly used. Castings vary in thickness and may require a different bolt length.</p> <p>Tighten rail clamp bolts periodically.</p>	
<p>SF119</p>	<p>3/4" Rail Clamp Bolt</p>	<p>(1) 5/16" x 3/4" stainless steel hex head bolt</p>	<p>Used with the 207 Rail Clamps to attach rail tubing to a stand.</p> <p>This length is <i>typically</i> used to attach the 207 Rail Clamps at the top of the C101 & C102 Double Rail Supports.</p> <p>Castings vary in thickness and may require a different bolt length.</p> <p>Tighten rail clamp bolts periodically.</p>	
<p>SF120</p>	<p>7/8" Rail Clamp Bolt</p>	<p>(1) 5/16" x 7/8" stainless steel hex head bolt</p>	<p>Previously SF153 Used with the 207 Rail Clamps to attach rail tubing to a stand. This length is <i>typically</i> used to pull the 207 Rail Clamp into the socket and replaced with a shorter Rail Clamp Bolt.</p> <p>Castings vary in thickness and may require a different bolt length.</p> <p>Tighten rail clamp bolts periodically.</p>	

<p>SF105</p>	<p>Multi-Purpose Stand Assembly Bolt</p>	<p>(1) 3/8" x 1 1/4" aluminum hex head bolt (1) 3/8" aluminum hex nut</p>	<p>Used to attach Double Rail Supports to Fulcrum Boxes on all stand models, cross-plates to the Main Support frame on One-Meter and Three-Meter Stands and to attach C400L Left Aluminum Rail Brackets and C400R Right Aluminum Rail Brackets to Short Stand Anchor Fittings (for stands with <i>Duraflex Handrails</i>) to attach rail tubing. These anchor fittings have pre-drilled holes for mounting Double Rail Supports and Aluminum Rail Brackets.</p> <p>Items are not sold separately.</p> <p>The head of this bolt is painted. We recommend ordering a MP105 Buff Touch-Up Paint Kit to coat the threads and nut after installation.</p> <p>We recommend ordering a PM211 Bolt Lubricant for installation.</p>
<p>SF105-S</p>	<p>Aluminum Rail Bracket Bolt</p>	<p>(1) 3/8" x 1 1/4" aluminum hex head bolt (with shaved head) (1) 3/8" aluminum hex nut</p>	<p>Used to attach the C400L Left Aluminum Rail Bracket or C400R Right Aluminum Rail Bracket to Short Stand Anchor Fittings (for stands with <i>Duraflex Handrails</i>). These anchor fittings have pre-drilled holes for mounting Double Rail Supports and Aluminum Rail Brackets.</p>

Hardware Kits

Product #	Name	Includes	Additional Information
<p>HK215</p>	<p>Three-Meter Hardware Kit</p>	<p>(1) SF122 Board Bolt Kit (6) SF162 Anchor Fitting Bolts, Double Washers & Nuts (3) SF108 Fulcrum Box Bolts, Nuts & Washers (34) SF105 Multi-Purpose Stand Assembly Bolt & Nuts (11) SF106 Hinge Bolts & Nuts (can also be used in place of the <i>SF105</i> if a longer bolt is required due to a thicker rail support casting) (55) SF210 Step Insert Bolts & Nuts (26) 207 Rail Clamps (10) SF117 1/2" Rail Clamp Bolts (18) SF118 5/8" Rail Clamp Bolts (12) SF119 3/4" Rail Clamp Bolts (2) SF120 7/8" Rail Clamp Bolts (2) C206 Bronze Rail Brackets (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p>	<p>Kit includes everything needed to replace all bolts on a Three-Meter Stand (excluding deck installation bolts).</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support Arm and (6) per main support cross-plate. (2) additional are included</p> <p>(4) SF106 Hinge Bolts & Nuts are required per Hinge and (2) per Double Rail Support (if necessary). (1) additional is included.</p> <p>(6) SF210 Step Insert Bolts & Nuts are required per Step Insert. (1) additional is included.</p> <p>(24) 207 Rail Clamps are required per stand. (2) additional are included.</p>

<p>HK214</p>	<p>One-Meter Hardware Kit</p>	<p>(1) SF122 Board Bolt Kit (6) SF162 Anchor Fitting Bolts, Double Washers & Nuts (3) SF108 Fulcrum Box Bolts, Nuts & Washers (30) SF105 Multi-Purpose Stand Assembly Bolt & Nuts (11) SF106 Hinge Bolts & Nuts <i>(can also be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i> (13) SF104 One-Meter Step Bolts & Nuts (19) SF210 Step Insert Bolts & Nuts (26) 207 Rail Clamps (10) SF117 1/2" Rail Clamp Bolts (18) SF118 5/8" Rail Clamp Bolts (12) SF119 3/4" Rail Clamp Bolts (2) SF120 7/8" Rail Clamp Bolts (2) C206 Bronze Rail Brackets (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p>	<p>Kit includes everything needed to replace all bolts on a One-Meter Stand <i>(excluding deck installation bolts)</i>.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support and (4) per main support cross-plate. (2) additional are included</p> <p>(4) SF106 Hinge Bolts & Nuts are required per Hinge and (2) per Double Rail Support <i>(if necessary)</i>. (1) additional is included.</p> <p>(4) SF104 One-Meter Step Bolts & Nuts are required per One-Meter Step. (1) additional is included.</p> <p>(6) SF210 Step Insert Bolts & Nuts are required per Step Insert. (1) additional is included.</p> <p>(24) 207 Rail Clamps are required per stand. (2) additional are included.</p>	
<p>HK213</p>	<p>Short Stand <i>(with Duraflex Handrails)</i> Hardware Kit</p>	<p>(1) SF122 Board Bolt Kit (22) SF105 Multi-Purpose Stand Assembly Bolt & Nuts (2) SF106 Hinge Bolts & Nuts <i>(can also be used in place of the SF105 if a longer bolt is required due to a thicker rail support casting)</i> (26) 207 Rail Clamps (10) SF117 1/2" Rail Clamp Bolts (18) SF118 5/8" Rail Clamp Bolts (12) SF119 3/4" Rail Clamp Bolts (2) SF120 7/8" Rail Clamp Bolts (2) C206 Bronze Rail Brackets (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p>	<p>Kit includes everything needed to replace all bolts on a Short Stand <i>(with Duraflex Handrails) - (excluding deck installation bolts)</i>.</p> <p>(5) SF105 Multi-Purpose Stand Assembly Bolts & Nuts are required per Double Rail Support. (2) additional are included.</p> <p>(24) 207 Rail Clamps are required per stand. (2) additional are included.</p>	
<p>HK212</p>	<p>Short Stand Hardware Kit</p>	<p>(1) SF122 Board Bolt Kit (9) SF106 Hinge Bolts & Nuts (1) MP105 Buff Touch-Up Kit (1) PM211 Bolt Lubricant</p>	<p>Kit includes everything needed to replace all bolts on a Short Stand <i>(excluding deck installation bolts)</i>.</p>	

Deck Installation Parts

Product #	Name	Includes	Additional Information
HK216	One-Meter / Three-Meter Deck Installation Hardware Kit	<u>Deck Mount Hardware:</u> (4) SF125 2" Deck Installation Bolts (4) SF127 2 1/2" Deck Installation Bolts (8) SF138 5/8" Deck Installation Washers (8) SF139 3/4" Deck Installation Washers (1) MP108-S Square Shim Set (1) AD110 Threadlocker	Kit includes everything needed to level a One-Meter or Three-Meter Stand and attach to Hilti Inserts or Bronze Anchors.
HK217	One-Meter / Three-Meter Ladder Deck Installation Hardware Kit	<u>Deck Mount Hardware:</u> (4) SF127 2 1/2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker	Kit includes everything needed to level a One-Meter Ladder or Three-Meter Ladder and attach to Hilti Inserts or Bronze Anchors.
HK218	One-Meter / Three Meter Main Support Deck Installation Hardware Kit	<u>Deck Mount Hardware:</u> (4) SF125 2" Deck Installation Bolts (4) SF138 5/8" Deck Installation Washers (4) SF139 3/4" Deck Installation Washers (1) MP108-S-1/2 Half Square Shim Set (1) AD110 Threadlocker	Kit includes everything needed to level a One-Meter Main Support or Three-Meter Main Support and attach to Hilti Inserts or Bronze Anchors.
HK219	Short Stand Deck Installation Hardware Kit	<u>Deck Mount Hardware:</u> (6) SF127 2 1/2" Deck Installation Bolts (6) SF138 5/8" Deck Installation Washers (6) SF139 3/4" Deck Installation Washers (1) MP107-R Round Shim Set (1) AD110 Threadlocker	Kit includes everything needed to level a Short Stand and attach to Hilti Inserts or Bronze Anchors.
HK220	Short Stand Deck Installation Half Hardware Kit	<u>Deck Mount Hardware:</u> (3) SF127 2 1/2" Deck Installation Bolts (3) SF138 5/8" Deck Installation Washers (3) SF139 3/4" Deck Installation Washers (1) MP107-R-1/2 Half Round Shim Set (1) AD110 Threadlocker	Kit includes everything needed to level a Short Stand Anchor Fitting or Fulcrum Box and attach to Hilti Inserts or Bronze Anchors.
SF125	2" Deck Installation Bolt	(1) 5/8" x 2" stainless steel hex head bolt	Used to attach One-Meter & Three-Meter Main Supports and Short Stand Fulcrum Boxes & Anchor Fittings to Hilti Inserts or Bronze Anchors.
SF127	2 1/2" Deck Installation Bolt	(1) 5/8" x 2 1/2" stainless steel hex head bolt	Used to attach One-Meter & Three-Meter Ladders to Hilti Inserts or Bronze Anchors.
SF138	5/8" Deck Installation Washer	(1) 5/8" stainless steel washer	Used with SF139 3/4" Deck Installation Washer. Washers should be stacked. (1) of each size required per mounting location.
SF139	3/4" Deck Installation Washer	(1) 3/4" stainless steel washer	Used with SF138 5/8" Deck Installation Washer. Washers should be stacked. (1) of each size required per mounting location.
AD110	Threadlocker	(1) Loctite 243 10 mL Threadlocker bottle	Used to prevent deck installation bolts from loosening and provide lubrication to stainless steel bolts.
MP107-R	Round Shim Set	(4) 1/32" round plastic shims (4) 1/16" round plastic shims (4) 1/8" round plastic shims (6) 3/16" round phenolic shims	Previously MP107 Used to level a complete Short Stand. At least one phenolic shim at each anchor mounting location is required.
MP107-R-1/2	Half Round Shim Set	(2) 1/32" round plastic shims (2) 1/16" round plastic shims (2) 1/8" round plastic shims (3) 3/16" round phenolic shims	Used to level the Short Stand Anchor Fitting or Fulcrum Box. At least one phenolic shim at each anchor mounting location is required.
MP108-S	Square Shim Set	(8) 1/16" square plastic shims (8) 3/32" square plastic shims (4) 1/8" square plastic shims (4) 3/16" square plastic shims (4) 1/4" square plastic shims (4) 3/8" square plastic shims (4) 1/2" square plastic shims.	Previously MP108 Used to level One-Meter & Three-Meter Stands. At least one shim at each anchor mounting location is required.

MP108-S-1/2	Half Square Shim Set	<ul style="list-style-type: none"> (4) 1/16" square plastic shims (4) 3/32" square plastic shims (2) 1/8" square plastic shims (2) 3/16" square plastic shims (2) 1/4" square plastic shims (2) 3/8" square plastic shims (2) 1/2" square plastic shims 	Used to level One-Meter & Three-Meter Main Supports or One-Meter & Three-Meter Ladders. At least one shim at each anchor mounting location is required.	
-------------	----------------------	--	---	--

Deck Anchors

Product #	Name	Includes	Additional Information	
900-SS-6	Short Stand Bronze Anchor Set	<ul style="list-style-type: none"> (6) Bronze Anchor Castings (6) 5/8" x 1" steel bolt <i>(for layout positioning)</i> (6) corks 	<p>Previously 900 SET There are (6) mounting locations on a Short Stand.</p> <p>Set is used to anchor a complete Short Stand. Bronze Anchors are typically used on new pool deck pours.</p>	
900-SS	Single Short Stand Bronze Anchor	<ul style="list-style-type: none"> (1) Bronze Anchor casting (1) 5/8" x 1" steel hex head bolt <i>(for layout positioning)</i> (1) cork 	<p>Previously 900 There are (6) mounting locations on a Short Stand.</p> <p>Bronze Anchors are typically used on new pool deck pours.</p>	
905-1M/3M-8	One-Meter / Three-Meter Bronze Anchor Set	<ul style="list-style-type: none"> (8) Bronze Anchor castings (8) 5/8" x 1" steel hex head bolts <i>(for layout positioning)</i> (8) 1/2" x 5" steel hex head bolts <i>(for positioning in cement)</i> (8) corks 	<p>Previously 905 SET There are (8) mounting locations on a One-Meter or Three-Meter Stand. Set is used to anchor a complete One-Meter or Three-Meter Stand.</p> <p>Bronze Anchors are typically used on new pool deck pours.</p>	
905-1M/3M	Single One-Meter / Three-Meter Bronze Anchor	<ul style="list-style-type: none"> (1) Bronze Anchor Castings (1) 5/8" x 1" steel hex head bolts <i>(for layout positioning)</i> (1) 1/2" x 5" steel hex head bolt for <i>(positioning in cement)</i> (1) cork 	<p>Previously 905 There are (8) mounting locations on a One-Meter or Three-Meter Stand.</p> <p>Bronze Anchors are typically used on new pool deck pours.</p>	
901-SS-WD	Short Stand Hilti Insert, Epoxy & Dispenser Kit	<ul style="list-style-type: none"> (6) 912 Hilti Inserts (1) Hilti HDM 500 Manual Dispenser (1) Hilti HIT-CR 500 Cartridge Holder (2) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Packs (2) mixing nozzles (2) nozzle extensions (1) hole cleaning brush 	<p>Previously 901 There are (6) mounting locations on a Short Stand. Kit is used to anchor a complete Short Stand.</p> <p>Hilti Inserts are typically used on existing pool decks.</p>	
902-SS-ND	Short Stand Hilti Insert & Epoxy Kit	<ul style="list-style-type: none"> (6) 912 Hilti Inserts (2) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Packs (2) mixing nozzles (2) nozzle extensions (1) hole cleaning brush 	<p>Previously 902 There are (6) mounting locations on a Short Stand. Kit is used to anchor a complete Short Stand.</p> <p>Hilti Inserts are typically used on existing decks.</p>	
903-SS-1/2-WD	Short Stand Hilti Insert, Epoxy & Dispenser Half Kit	<ul style="list-style-type: none"> (3) 912 Hilti Inserts (1) Hilti HDM 500 Manual Dispenser (1) Hilti HIT-CR 500 Cartridge Holder (1) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Pack (1) mixing nozzle (1) nozzle extension (1) hole cleaning brush 	<p>Previously 903 There are (3) mounting locations on a Fulcrum Box and (3) on a Short Stand Anchor Fitting. Kit is used to anchor only one of these components. Hilti Inserts are typically used on existing pool decks.</p>	
904-SS-1/2-ND	Short Stand Hilti Insert & Epoxy Half Kit	<ul style="list-style-type: none"> (3) 912 Hilti Inserts (1) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Pack (1) mixing nozzle (1) nozzle extension (1) hole cleaning brush 	<p>Previously 904 There are (3) mounting locations on a Fulcrum Box and (3) on a Short Stand Anchor Fitting. Kit is used to anchor either of these components. Hilti Inserts are typically used on existing pool decks.</p>	

<p>906-1M/3M-WD</p>	<p>One-Meter / Three-Meter Hilti Insert, Epoxy & Dispenser Kit</p>	<p>(8) 912 Hilti Inserts (1) Hilti HDM 500 Manual Dispenser (1) Hilti HIT-CR 500 Cartridge Holder (2) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Packs (2) mixing nozzles (2) nozzle extensions (1) hole cleaning brush</p>	<p>Previously 906 There are (8) mounting locations on a One-Meter or Three-Meter Stand. Kit is used to anchor a complete One-Meter or Three-Meter Stand.</p> <p>Hilti Inserts are typically used on existing pool decks.</p>	
<p>907-1M/3M-ND</p>	<p>One-Meter / Three-Meter Hilti Insert & Epoxy Kit</p>	<p>(8) 912 Hilti Inserts (2) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Packs (2) mixing nozzles (2) nozzle extensions (1) hole cleaning brush</p>	<p>Previously 907 There are (8) mounting locations on a One-Meter or Three-Meter Stand. Kit is used to mount a complete One-Meter or Three-Meter Stand.</p> <p>Hilti Inserts are typically used on existing pool decks.</p>	
<p>908-1M/3M-1/2-WD</p>	<p>One-Meter / Three-Meter Hilti Insert, Epoxy & Dispenser Half Kit</p>	<p>(4) 912 Hilti Inserts (1) Hilti HDM 500 Manual Dispenser (1) Hilti HIT-CR 500 Cartridge Holder (1) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Pack (1) mixing nozzle (1) nozzle extension (1) hole cleaning brush</p>	<p>Previously 908 There are (4) mounting locations on a Main Support and (4) on a Ladder. Kit is used to anchor either of these components.</p> <p>Hilti Inserts are typically used on existing pool decks.</p>	
<p>909-1M/3M-1/2-ND</p>	<p>One-Meter / Three-Meter Hilti Insert & Epoxy Half Kit</p>	<p>(4) 912 Hilti Inserts (1) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Pack (1) mixing nozzle (1) nozzle extension (1) hole cleaning brush</p>	<p>Previously 909 There are (4) mounting locations on a Main Support and (4) on a Ladder. Kit is used to anchor either of these components.</p> <p>Hilti Inserts are typically used on existing pool decks.</p>	
<p>912</p>	<p>Single Hilti Insert</p>	<p>(1) 5/8" x 5 1/2" Stainless Steel Internally Threaded Hilti Insert</p>	<p>Hilti Inserts are typically used on existing pool decks.</p>	
<p>910-DIS</p>	<p>Hilti Dispenser</p>	<p>(1) Hilti HDM 500 Manual Dispenser (1) Hilti HIT-CR 500 Cartridge Holder</p>	<p>New Product # Previously 910</p>	
<p>911-AD</p>	<p>Hilti Adhesive</p>	<p>(1) Hilti HIT-HY 200-R 330 mL Injectable Adhesive Foil Pack (1) mixing nozzle (1) nozzle extension (1) hole cleaning brush</p>	<p>New Product # Previously 911</p>	
<p>LO-1</p>	<p>Layout Template</p>	<p>(1) full size paper template</p>	<p>Requires Production Questionnaire A layout template is needed for proper placement of mounting locations for Duraflex Stands.</p> <p><i>Not all layouts are the same.</i></p>	

Paint & Lubricant

Product #	Name	Includes	Additional Information
MP105	Buff Touch-Up Kit	(1) 1 oz. bottle of Buff colored paint (1) application brush	Used to touch-up small areas of a diving stand. Also used to coat threads and nuts on painted aluminum bolts after installation. Painted bolts include: SF104 One-Meter Step Bolt, SF105 Multi-Purpose Stand Assembly Bolt, SF106 Hinge Bolt and SF210 Step Insert Bolt.
MP106	Aqua Touch-Up Kit	(1) tube of Aqua colored paint (1) 1 oz. bottle of hardener (1) application brush	Used to touch-up small areas of a diving board. Touch-up paint does <i>not</i> include any slip-resistant material.
PM211	Bolt Lubricant	(1) 1 oz. bottle of lubricant (1) application brush	Used to lubricate SF108 Fulcrum Box Bolts, SF162 One-Meter / Three-Meter Anchor Fitting Bolt, SF105 Multi-Purpose Stand Assembly Bolts and 529 Track Bolts.

Diving Board Parts

Product #	Name	Includes	Additional Information
SF122	Board Bolt Kit	(2) 5/8" x 3 1/2" stainless steel carriage bolts (2) 5/8" stainless steel lock washers (2) 5/8" stainless steel flat washers (2) 5/8" stainless steel hex nuts (2) Loctite 243 0.5 mL Threadlocker capsules	Used with 10025 Hinges to attach diving boards to diving stands. Compatible with all diving stand models.
SF123	Washer Kit	(2) 5/8" stainless steel lock washers (2) 5/8" stainless steel flat washers	Items are not sold separately.
AA101	Maxi-B Anchor Angle Assembly	(1) anchor angle (1) anchor plate (1) anchor angle gasket (<i>pre-installed</i>) (1) anchor plate gasket (<i>pre-installed</i>) (1) anchor angle support (<i>pre-installed</i>) (7) 3/8" x 2 1/4" stainless steel flat head torx bolts (2) Loctite 263 0.5 mL Threadlocker capsules (1) Safe-T-Walk Strip	Black "back-end" on a Maxi-B diving board.
PM151	Safe-T-Walk Strip	(1) Safe-T-Walk Strip	Adhesive backed strip with a rough texture that is applied to the top anchor plate on the AA101 Anchor Angle Assembly.
MP110-6-C-WG/A	6" Rubber Channel, Glue & Adapter Kit	(8) 6" Rubber Channels (1) Loctite E-60 HP 50 mL Glue Cartridge (1) adapter (<i>for use with a caulk gun</i>) (1) mixing nozzle (1) application brush	Previously MP110 May be used to extend the length of existing 30" Rubber Channels on the underside of all diving board models.
MP110-6-C-NG	6" Rubber Channel Set	(8) 6" Rubber Channels	May be used to extend the length of existing 30" Rubber Channels on the underside of all diving board models.
MP112-30-C-WG/A	30" Rubber Channel, Glue & Adapter Kit	(8) 30" Rubber Channels (1) Loctite E-60 HP 50 mL Glue Cartridge (1) adapter (<i>for use with a caulk gun</i>) (1) mixing nozzle (1) application brush	Previously MP112 Used on all diving board models to eliminate metal to metal contact between the underside of the board and the footwheel and roller (long or short) on all diving stand models.
MP112-30-C-WG/NA	30" Rubber Channel & Glue Kit	(8) 30" Rubber Channels (1) 50 mL cartridge of Loctite E-60HP glue (1) mixing nozzle (1) application brush	Previously MP112B Used on all diving board models to eliminate metal to metal contact between the underside of the board and the footwheel and roller (long or short) on all diving stand models.

MP112-30-C	30" Rubber Channel Set	(8) 30" Rubber Channels	Previously MP112C Used on all diving board models to eliminate metal to metal contact between the underside of the board and the footwheel and roller (long or short) on all diving stand models.
MP115	Glue & Adapter Kit	(1) Loctite E-60 HP 50 mL Glue Cartridge (1) adapter <i>(for use with a caulk gun)</i> (1) mixing nozzle (1) application brush	Previously MP115A
MP115-NA	Glue Kit	(1) Loctite E-60 HP 50 mL Glue Cartridge (1) mixing nozzle (1) application brush	Previously MP115B
PM108L	Left Corner Piece	(1) Left Corner Piece	Used on the left tip-end corner on all diving board models manufactured after 1975.
PM108R	Right Corner Piece	(1) Right Corner Piece	Used on the right tip-end corner on all diving board models manufactured after 1975.
PM112	Rubber Grommet	(1) Rubber Grommet	Used to plug the hole located at the front, tip-end of all diving board models. Boards manufactured prior to 1975 have three holes.
P167	Calibration Strip	(1) Calibration Strip	Adhesive label, marked with number 1-9, that is applied to all diving board models. Used as a guide when adjusting the position of the footwheel and roller (long or short) on all diving stand models.

Diving Board Accessories

Product #	Name	Includes	Additional Information
10040	Board Cover	(Black) Board Cover	Available for only 16ft boards to protect the skid resistant surface. Product ships separately.
10042	Board Cover	(Shale Gray) Board Cover	Available for only 16ft boards to protect the skid resistant surface. Product ships separately.

